


BEK-TRONIC TECHNOLOGY, INC.

BEK-4801/486WB

Processor	80486DX
Processor Speed	33MHz
Chip Set	OPTI
Max. Onboard DRAM	64MB
Cache	64/256KB
BIOS	AMI
Dimensions	330mm x 218mm
I/O Options	None
NPU Options	4167



CONNECTIONS			
Purpose	Location	Purpose	Location
External battery	J11	Turbo LED	SW1
Power LED & keylock	J20	Reset switch	SW2
Speaker	J21		

Continued on next page . . .

BEK-TRONIC TECHNOLOGY, INC.

BEK-4801/486WB

... continued from previous page

DRAM CONFIGURATION				
Size	Bank 0	Bank 1	Bank 2	Bank 3
1MB	(4) 256K x 9	NONE	NONE	NONE
2MB	(4) 256K x 9	(4) 256K x 9	NONE	NONE
4MB	(4) 1M x 9	NONE	NONE	NONE
5MB	(4) 256K x 9	(4) 1M x 9	NONE	NONE
6MB	(4) 256K x 9	(4) 256K x 9	(1) 1M x 36	NONE
8MB	(4) 1M x 9	(4) 1M x 9	NONE	NONE
9MB	(4) 256K x 9	(4) 1M x 9	(1) 1M x 36	NONE
10MB	(4) 256K x 9	(4) 256K x 9	(1) 1M x 36	(1) 1M x 36
12MB	(4) 1M x 9	(4) 1M x 9	(1) 1M x 36	NONE
13MB	(4) 256K x 9	(4) 1M x 9	(1) 1M x 36	(1) 1M x 36
16MB	(4) 1M x 9	(4) 1M x 9	(1) 1M x 36	(1) 1M x 36
16MB	(4) 4M x 9	NONE	NONE	NONE
20MB	(4) 1M x 9	(4) 4M x 9	NONE	NONE
24MB	(4) 1M x 9	(4) 1M x 9	(1) 4M x 36	NONE
28MB	(4) 1M x 9	(4) 1M x 9	(1) 1M x 36	(1) 4M x 36
32MB	(4) 4M x 9	(4) 4M x 9	NONE	NONE
36MB	(4) 1M x 9	(4) 4M x 9	(1) 4M x 36	NONE
40MB	(4) 1M x 9	(4) 4M x 9	(1) 4M x 36	(1) 1M x 36
46MB	(4) 4M x 9	(4) 4M x 9	(1) 4M x 36	NONE
52MB	(4) 1M x 9	(4) 4M x 9	(1) 4M x 36	(1) 4M x 36
64MB	(4) 4M x 9	(4) 4M x 9	(1) 4M x 36	(1) 4M x 36

CACHE CONFIGURATION			
Size	Bank 0	TAG (U33)	TAG (U34)
64KB	(8) 8K x 8	(1) 8K x 8	(1) 64K x 1
256KB	(8) 32K x 8	(1) 32K x 8	(1) 64K x 1

Note : The location of U33 is unidentified.

CACHE JUMPER CONFIGURATION				
Size	JP8	JP9	JP10	JP11
64KB	Open	Open	Open	Open
256KB	Closed	Closed	Closed	Closed

Note: The location of the cache jumpers are unidentified.