
UNIDENTIFIED M S - 4 1 0 9

Processor	80486SX/80487SX/80486DX
Processor Speed	16/20/25/33/50MHz
Chip Set	Contaq
Max. Onboard DRAM	32MB
Cache	64/256KB
BIOS	AMI
Dimensions	330mm x 218mm
I/O Options	None
NPU Options	4167



CONNECTIONS			
Purpose	Location	Purpose	Location
Power LED & keylock	J3 pins 1 - 5	Reset switch	J3 pins 19 - 20
Speaker	J3 pins 7 - 10	Auxiliary keyboard connector	J4
Turbo LED	J3 pins 12 - 13	External battery	JP2
Turbo switch	J3 pins 15 - 17		

Continued on next page. . .

UNIDENTIFIED M S - 4 1 0 9

... continued from previous page

USER CONFIGURABLE SETTINGS		
Function	Jumper	Position
í Monitor type select monochrome	JP1	Open
Monitor type select CGA	JP1	Closed
í Battery type select internal	JP2	pins 2 & 3 closed
Battery type select external	JP2	pins 1 & 4 closed

DRAM CONFIGURATION			
Size	Bank 0	Bank 1	
1MB	(4) 256K x 9	NONE	
2MB	(4) 256K x 9	(4) 256K x 9	
4MB	(4) 1M x 9	NONE	
5MB	(4) 1M x 9	(4) 256K x 9	
8MB	(4) 1M x 9	(4) 1M x 9	
16MB	(4) 4M x 9	NONE	
17MB	(4) 4M x 9	(4) 256K x 9	
20MB	(4) 4M x 9	(4) 1M x 9	
32MB	(4) 4M x 9	(4) 4M x 9	

CACHE CONFIGURATION			
Size	Bank 0	Bank 1	TAG
64KB	(4) 8K x 8	(4) 8K x 8	(1) 8K x 8
256KB	(4) 32K x 8	(4) 32K x 8	(1) 32K x 8

CACHE JUMPER CONFIGURATION		
Size	JP8	
64КВ	pins 1 & 5, 3 & 7, 9 & 13, 11 & 15 closed	
256KB	pins 2 & 6, 4 & 8, 10 & 14, 12 & 16 closed	

CPU TYPE CONFIGURATION		
Туре	JP7	
80486SX	pins 2 & 6, 4 & 8, 10 & 14, 12 & 16 closed	
80487SX	pins 1 & 2, 3 & 4, 9 & 10, 11 & 12 closed	
80486DX	pins 1 & 2, 3 & 4, 13 & 14, 15 & 16 closed	

CPU SPEED CONFIGURATION		
Speed	JP9	
16MHz	pins 1 & 2 closed	
20MHz	pins 1 & 2 closed	
25MHz	pins 2 & 3 closed	
33MHz	pins 2 & 3 closed	
50MHz	pins 2 & 3 closed	

Continued on next page. . .

UNIDENTIFIED M S - 4 1 0 9

. . . continued from previous page

CPU CLOCK SPEED CONFIGURATION			
Speed	JP3	JP5	JP6
16MHz (asynchronous)	pins 2 & 3 closed	Open	Open
20MHz (synchronous)	pins 1 & 2 closed	Open	Open
25MHz (synchronous)	pins 1 & 2 closed	Closed	Open
33MHz (synchronous)	pins 1 & 2 closed	Open	Closed
50MHz (synchronous)	pins 1 & 2 closed	Closed	Closed